



Design/Build Sheet

THIS IS NOT AN ORDER FORM.

This form has been designed to ensure you have all of the information required to place your Smartop order. ALL ORDERS MUST BE PLACED USING THE OFFICIAL SMARTOP DEALER ORDER FORM AVAILABLE AT WWW.SMARTOPDEALER.COM

Step 1: Please provide the following information regarding your spa:

Brand of Hot Tub: _____

Hot Tub Model: _____

Hot Tub Model Year: _____

Is your hot tub recessed into a deck or the ground? Yes No

Step 2: Using the detailed instructions provided, please enter the following information:

Measurement A: _____ in.

Measurement B: _____ in.

Measurement C (Hinge Length): _____ in.

Measurement D (Corner Radius): _____ in.

Measurement E (Acrylic Height): _____ in.

Control Panel Depth (if applicable): _____ in.

CUSTOMIZE YOUR SMARTOP – Indicate your desired option

What model of Smartop would like to order?	<input type="checkbox"/> Smartop Upright <input type="checkbox"/> Smartop Vanish XL	<input type="checkbox"/> Smartop Swim Spa Upright <input type="checkbox"/> Smartop Swim Spa Vanish XL <input type="checkbox"/> Smartop Swim Spa Hybrid
Choose your Deco Series color:	<input type="checkbox"/> Black <input type="checkbox"/> Bamboo <input type="checkbox"/> Cocoa	<input type="checkbox"/> Pepper Grey <input type="checkbox"/> Portobello <input type="checkbox"/> Sterling Silver
SmartShield 800 (Enhancement Option):	<input type="checkbox"/> Black	

Measurement Worksheet

The measurements below are required to manufacture each Smartop. Detailed instructions for each measurement are listed in the steps below. Insert measurements into the fields below for your convenient reference when placing your Smartop order.

Measurement A: _____ Smartop Corner Radius: _____


Measurement B: _____ Acrylic Height: _____

Measurement C: _____ Control Panel Indentation: _____

Also referred to as Hinge Length

Step 1: Measurement A, B & Hinge Length

Measurement A, B, and C (hinge length) should be provided in inches, rounded up to the nearest 1/2-inch increment. A spa cover that is a little larger than the acrylic shell will fit well, but a cover that is too small may fit tight or not at all. Measurements **MUST** be taken from the outside of the acrylic spa shell. (Do not obtain measurements from an old cover as this can result in an ill-fitted Smartop).




Step 2: Corner Radius Measurement

The radius is the measurement of a spa's rounded corners. There are several methods that can be used to measure your spa's corner radius. Refer to the accompanying page titled *Measuring Your Spas Corner Radius* for step-by-step instructions of each method. Once the spa's corner radius has been determined, refer to the chart below to select the appropriate Smartop Corner Radius.

- If your spa's corner radius measures 4" or less, please select the 2" corner radius.
- If your spa's corner radius measures 5" to 7", please select the 6" corner radius.
- If your spa's corner radius measures 8" to 9", please select the 8" corner radius.
- If your spa's corner radius is close to or measures exactly 10", please select the 10" corner radius.
- If your spa's corner radius measures 11" to 12", please select the 12" corner radius.
- If your spa's corner radius exceeds 12" or has a cut corner (45-degree angled corner), please contact us at (888) 965-6694 so we may determine the appropriate Smartop corner radius.

Step 3: Acrylic Height Measurement

The height of the acrylic on your spa is measured in inches, rounded up to the nearest 1/4-inch increment. Measure the distance from the top of the acrylic on your spa to the bottom of the acrylic on your spa as shown in the illustration to the right.



If your Smartop is being installed on a recessed spa:

Measure the distance from the top of the acrylic on your spa to the ground/base where the mounting bracket will be installed.




Corner Radius Measuring Instructions

Choose from one of the methods detailed below to measure your spa's corner radius.

Method 1) Carpenter's Square

Place a carpenter's square on the outside corner of the spa. The distance between the square's inside corner and the point where it touches the spa's corner is the radius. The image shown to the right indicates a corner with a radius of 6 inches.



Visit youtu.be/Hc9U-60rNV0 to watch our video that takes you step-by-step through the carpenter square method of measuring your spa's corner radius.

Method 2) Curve Templates

To use the curve templates included with this Measuring Guide, verify pages were printed in a portrait layout on 8.5" x 11" at Actual Size. (Printing actual size is critical as any alterations to the image could result in an inaccurate measurement and a Smartop that does not fit properly. Smartop does not take responsibility for measurement accuracy/inaccuracy). Once the curve templates have been printed, follow these simple steps:

1. Using scissors, cut out the curve template that most closely matches the radius of your spa's corner.
2. With the existing spa cover in the open position, line up the OUTSIDE edge of the cut-out template with the OUTSIDE edge of one of the spa's corners making sure it is flush. If the template is not flush with the spa's corner, try other templates to find the one that most closely matches the shape of the outside edge of your spa's corner. Repeat this process for all four corners.

****Spas having a radius greater than 8" will require utilization of the two-part template provided. Simply cut out both corresponding pieces of template, bring the two ends together so the dashed lines match and tape the two pieces together. Proceed to align the template with the outside edge of your spa's corner as detailed in step 2 above.*

Once you have determined your spa's corner radius, use the chart below to find your Smartop radius.

- If your spa's corner radius measures 4" or less, please select the 2" corner radius.
- If your spa's corner radius measures 5" to 7", please select the 6" corner radius.
- If your spa's corner radius measures 8" to 9", please select the 8" corner radius.
- If your spa's corner radius is close to or measures exactly 10", please select the 10" corner radius.
- If your spa's corner radius measures 11" to 12", please select the 12" corner radius.
- If your spa's corner radius exceeds 12" or has a cut corner (45 degree angled corner), please contact us at (888) 965-6694 so we may determine the appropriate Smartop corner radius.



Measuring Your Control Panel


If the orientation of the Smartop on the spa requires the hinge to intersect the control panel acrylic indentation, the depth of the acrylic indentation must be measured to allow proper positioning of the wedge component. Proper placement of the wedge in this scenario will ensure a tight seal when the Smartop is in the closed and locked position.

Following are directions for measuring the depth of the acrylic indentation around the control panel.

Step 1: Place the end of your tape measure on the outside edge of the acrylic immediate below the control panel (refer to Measurement Point A in the diagram below).


Step 2: Measure to the furthest edge of the acrylic indentation of the control panel indentation closest to the middle of the spa. (Refer to Measurement Point B in the diagram below).

Step 3: Provide the exact measurement. Input the measurement in the space below for convenient reference when submitting your Smartop order.




Smartop Corner Radius

- Print Size:
- Letter 8.5x11"
 - Print vertically
 - Print at actual size
 - Do not fit to page



Smartop Corner Radius

- Print Size:
- Letter 8.5x11"
 - Print vertically
 - Print at actual size
 - Do not fit to page



Smartop Corner Radius

- Print Size:
- Letter 8.5x11"
 - Print vertically
 - Print at actual size
 - Do not fit to page

